

HP#2




FIG. 1

18

SPOT POSITION DATA	CNTRY DATA	SPOT DATA	ISP DATA (PROVIDER DATA)
(N, E) = ("...", "....")	JAPAN	HAMBURGER SHOP SUMIDA	ISP1
(N, E) = ("...", "....")	JAPAN	COFFEE SHOP SHIBUYA	ISP2
(N, E) = ("...", "....")	JAPAN	HAMBURGER SHOP DAIKANYAMA	ISP1
(N, E) = ("...", "....")	JAPAN	HOTELAKASAKA	ISP3
(N, W) = ("...", "....")	U.S.A.	COFFEE SHOP NEW YORK	ISP4

POSITION DATA TABLE

FIG. 2

SETUP DATA
DHCP CLIENT ON/OFF
IP ADDRESS
NET MASK
DEFAULT GATEWAY
DNS-SERVER
PROXY SERVER
AUTHENTICATION INFORMATION
CHARGING INFORMATION

ISP DATA (PROVIDER DATA)	SETUP DATA
ISP1	NETWORK ENVIRONMENT SETTING #1
ISP2	NETWORK ENVIRONMENT SETTING #2
ISP3	NETWORK ENVIRONMENT SETTING #3
ISP4	NETWORK ENVIRONMENT SETTING #4

ISP AGREEMENT DATA TABLE

FIG. 3

HP#2




FIG. 4




FIG. 5

18'

SPOT POSITION DATA	SPOT DATA	ISP DATA (PROVIDER DATA)
(N, E) = ("...", "...")	HAMBURGER SHOP SUMIDA	ISP1
(N, E) = ("...", "...")	COFFEE SHOP SHIBUYA	ISP2
(N, E) = ("...", "...")	HAMBURGER SHOP DAIKANYAMA	ISP1
(N, E) = ("...", "...")	HOTEL AKASAKA	ISP3
(N, W) = ("...", "...")	COFFEE SHOP NEW YORK	ISP4

POSITION DATA TABLE

FIG. 6

HP#2




FIG. 7




FIG. 8